MAILLON RAPIDE (INOX)






DESCRIPTIF

Acier inoxydable AISI 316L. Tige / Écrou X2 Cr Ni.



AVANTAGES

Peut être livré avec un certificat de conformité.



DISPONIBLE SUR STOCK





RÉFÉRENCE	CMU	DIA	Α	В	С	М	L1	L2	POIDS LE %
	kg	mm	mm	mm	mm	mm	mm	mm	kg
MRI103	160	3	8,5	4	9	4	25	31	0,53
MRI1035	220	3,5	10	5	11	5	29	36	0,81
MRI104	280	4	11,5	5,5	12,5	6	31,5	39,5	1,2
MRI105	450	5	13	6,5	16	7	39,5	49,5	2,1
MRI106	650	6	14,5	7,5	19	9	45	57	3,54
MRI107	900	7	16	8,5	21,5	10	52	66	5,23
MRI108	1100	8	17,5	11	24	11	58	74	7,9
MRI109	1400	9	19	11	26	12	62	80	10,5
MRI110	1800	10	20,5	12	29	13	69	89	14,05
MRI112	2500	12	23,5	15	33	15	80,5	104,5	23,2
MRI114	3500	14	26,5	17	38,5	17	93	121	37,4
WMR116	4500	16	29,5	19	45	19	108	140	57,6

























